

Quotation Call Letter



Government of Maharashtra



Sassoon General Hospital, Pune

Jayprakash Narayan Road, Near Pune Railway Station, Pune - 411 001

Department of MJPJAY

Phone No.- 020 - 26102719

Email& <http://www.bjmcpune.org>

Fax No.- 26126868

Owt. No. SGH/ MJPJAY/ ORTHO/Ortho Implants /

987

/25

Date - 25/02/2025

Subject: Quotation for the Ortho Implants of Orthopedics.

This hospital has to purchase the material mentioned below. Therefore quotation for the same is required in sealed envelope (mentioning on it name of the item) before the last date in the name of Dean, Sassoon General Hospital, Pune (Kindly Attend : MJPJAY Department). The terms and conditions are as under. Kindly mention your GST, Vat/Tin No, & Pan No. in quotation letter.

Last Date to Submit Quotation: Dt. 03/03/2025.

List of implants required for MJPJAY patients.

SR.No.	SURGICAL ITEMS REQUIRED & QTY	Unit Rate
1	3.5mm Clavicle plate (rate which includes) 1) Clavicle locking plate of all types all sizes-1 2) 3.5 mm screw of all length- 10	
2	3.5mm Distal / Lateral Clavicle Locking Plate (rate which includes) 1) Distal Clavicle locking plate of all types all sizes- 1 2) Screw of all types all length- 10	
3	3.5mm Clavicle hook Locking Plate (rate which includes) 1)Clavicle Hook locking plate of all sizes- 1 2) Screw of all types all length- 10	
4	3.5mm PHILOS Locking Plate (rate which includes) 1) PHILOS Locking Plate of all sizes- 1 2) Screws of all length all type all sizes- 15	
5	3.5mm DCP Plate (rate which includes) 1) 3.5 DCP plate of all sizes- 1 2) 3.5 mm cortical screw of all length- 10	
6	3.5mm DCP lockingPlate (rate which includes) 1) 3.5 DCP lockingplate of all sizes- 1 2) 3.5 mm all type screw of all length- 10	

7	4.5mm Narrow DCP plate (rate which includes) 1) 4.5 Narrow DCP plate of all sizes- 1 2) 4.5 mm all type screw of all length- 10
8	4.5mm Narrow Locking Plate DCP (rate which includes) 1) 4.5 Narrow DCP locking plate of all sizes- 1 2) 4.5 mm all type screw of all length- 10
9	Humerus Nail(rate which includes) 1) Humerus IMIL nail of all sizes- 1 2) Locking bolts of all sizes- 4
10	Radius nail all sizes and all length- 1
11	Ulna nail all sizes and all length- 1
12	4.5mm Broad DCP plate (rate which includes) 1) 4.5 Broad DCP plate of all sizes- 1 2) 4.5 mm all type screw of all length- 10
13	4.5mm Broad Locking Plate DCP (rate which includes) 1) 4.5 Broad DCP lockingplate of all sizes- 1 2) 4.5 mm all type screw of all length- 10
14	Proximal Femur Locking Plate (rate which includes) 1) Proximal femur lockingplate of all sizes- 1 2) Screw required all types of all length- 10
15	4.5 Distal Lateral Femur Locking Plate (rate which includes) 1)Distal Lateral femur locking plate of all sizes- 1 2) Screws required all types of all lengths- 15
16	Proximal Tibia Lateral Locking Plate (rate which includes) 1) Proximal Tibia Lateral Locking Plate of all sizes- 1 2) Screw all type required of all length- 10
17	Proximal Tibia Postero-medial Locking Plate (rate which includes) 1) Proximal Tibia Postero-medial Locking Plate of all sizes- 1 2) Screw all type required of all length- 8
18	Distal Tibia Locking Plate (rate which includes) 1) Distal Tibia Locking plate all types of all sizes- 1 2) Screw required all types of all length- 12
19	3.5mm 1/3rd Tubular Locking/Simple plate (rate which includes) 1) 1/3rd Tubular plate of all types all sizes- 1 2)Screw required all types of all length- 10

20	Calcaneal plate (rate which includes) 1) Calcaneal locking plate of all types all sizes- 1 2) Screw all types of all types all length- 10	
21	Dynamic Hip screw and plate (rate which includes) 1)DHS blade plate all types of all types all sizes- 1 2) Richard screw with top nut all lengths- 1 3) Screws required all types of all lengths- 7 nos	
22	95 Degree DCS (rate which includes) 1) DCS plate 95 degree of all sizes- 1 2)Richard screw all length- 1 3)Screws required all types of all lengths- 10	
23	Tibia Intramedullary Interlocking Nail (rate which includes) 1)Tibia IMIL nail also including distal tip locking, all sizes- 1 2)4.5 locking bolt of all lengths- 4	
24	Expert Tibia Nail (rate which includes) 1) Expert Tibia IMIL high multiple proximal locking nail of all sizes- 1 2)4.5 locking bolt of all lengths- 4	
25	Titanium Elastic Nail (rate which includes) 1) Titanium Elastic nail of all types all sizes-1	
26	Femur Intramedullary Interlocking Nail (rate which includes) 1)Femur nail of all size- 1 2) 4.5 mm locking bolt of all lengths- 4	
27	Short Proximal Femur Nail (PFN) (rate which includes) 1) Short PFN 130 & 135 of all sizes- 1 2) Locking bolt 8 mm- 1 3)Locking bolt 6 mm- 1 4)Locking bolt 5 mm- 2	
28	Long PFN (rate which includes) 1) Long PFN 130 & 135 of all sizes 1 2) Locking bolt 8 mm- 1 3)Locking bolt 6 mm- 1 4)Locking bolt 5 mm- 2	
29	Herbert screw (rate which includes) 1) Herbert screw of all types, all lengths	
30	Tension Band Wire (rate which includes) 1) TBW reel all size- 1 (all size)	

31	JESS Fixator (rate which includes) 1) Rods all types, all sizes – 2 2) Clamps all types all sizes- 12 3) Long K wire of all sizes all lengths
32	Ligamentotaxis Fixator (rate which includes) 1) Ligamentotaxis rod all types all sizes- 1 2) Schantz pin of all sizes all lengths- 4 3) Beta clamps (all types)- 6
33	External Fixator (rate which includes) 1) Schantz pin of all types, all lengths- 10 2) Rod to rod clamps- 10 3) Rod to pin clamps- 12 4) Rods- 6
34	MATA (AO acetabulum Plate) (rate which includes) 1) Recon plate all types of all sizes- 1 2) Screw of all types all length – 10
35	Olecranon Locking Pre-Contoured Plate (rate which includes) 1) Olecranon Locking Plate of all types all sizes- 1 2) Screws required all types of all sizes- 10
36	Proximal Femoral Nail (PFN) A2 1) PFN A2 all types all lengths all sizes- 1 2) Locking bolt 8mm- 1 3) Locking bolt 5 mm- 2
37	3.5 Distal Humerus Medial & Lateral Anatomical plate (rate which includes) 1) Medial locking plate of all sizes- 1 2) Lateral locking plate of all sizes- 1 3) Screw required all types of all sizes- 16
38	K wire (Rate which includes) 1) K wire all sizes- 1 (all sizes)
39	Cemented Modular Bipolar Hemiarthroplasty Prosthesis 1) Stem –Collarless Polished Tapered (CPT design) 2) Modular Head with neck all sizes (min 37) 3) Bone Cement Low Viscosity (Simplex) 40 gm. 4) Restrictor, Syringe kit- 1 each
40	Proximal Tibia Locking T Plate (Rate which includes) 1) Medial Proximal Tibia Locking T Plate of all sizes 2) Screw of all length- 10

41	Distal Fibula Anatomical Locking plate (Rate which includes) 1)Distal Fibula Anatomical Locking plate- 1 2)Screw of all types, all lengths- 7	
42	Titanium Suture anchor: Made up of Titanium- 3.5mm, 4.5mm, 5.5 mm Double loaded with needle with colour coding, with non-absorbable suture material of length 90 cm each, with insertion device, all sterile packed. - 1	
43	Titanium Suture anchor: Made up of Titanium- 1.9mm, 2.5mm, 2.9mm Double loaded with needle with colour coding, with non-absorbable suture material of length 90 cm each, with insertion device, all sterile packed. - 1	
44	Peek Suture anchor: Made up of PEEK (polyether ether ketone) – 4.5mm, 5.5mm double loaded with needle with colour coding, with non- absorbable suture material of length 90 cm each, with insertion device, all sterile packed. - 1	
45	All Suture anchor made up of Ultra-high molecular weight polyethylene suture, double loaded with needle all diameters, all sizes. - 1	
46	Knotless Suture anchor able to pass fibre tape, all diameters, all sizes- 1	
47	Fibre wire: Ultra-high molecular weight polyethylene suture with 28mm taper cut Needle of length 90cm with colour coding (white/blue or white/black) used for graft preparation (size No 2.0 & No 5.0). - 1	
48	Fibre Tape: Ultra-high molecular weight polyethylene tape sizes 1.4mm, 2.4mm, 3mm, length 90cm, used for graft preparation / augmentation. - 1	
49	Titanium suture discs all sizes all types. - 1	
50	Adjustable loop: Contains Titanium Endobutton attached with ultra-high molecular weight polyethylene (UHMWPE) non-absorbable polymer thread loop and use to fix graft to femoral side with sutures to adjust to required length. Length can be changed from 12mm to 60mm.- 1	
51	Interference Screw: made of Titanium, cannulated with guidewire and insertion device, all sizes Length from 15mm to 35 mm, diameter from 6mm to 11mm.- 1	

52	Interference Screw: made of Peek(polyether ether ketone), cannulated with guidewire and insertion device, all sizes Length from 15mm to 35 mm, diameter from 5mm to 11mm.- 1
53	Interference Screw: Made up of Beta- TCP, cannulated with 4.5mm driver slot on head, used to fix graft on tibial side. Lengths (15mm to 35mm) with all Diameter (6mm to 11mm). - 1
54	Shaver Blade: Stainless steel material with cutting edge Compatible to shaver hand piece (Smith & Nephew), all sizes. - 1
55	All inside suture anchor: Implants consist of soft suture sheath preloaded with 2.0 fibre wire (UHMW non absorbable suture) – knotless, all types – Up curves: 24-degree, 12-degree, Straight curve, 12-degree reverse curve with insertion device. All sterile packed. - 1
56	Inside out needle: Needle preloaded with non-absorbable high strength suture material size 2.0 used for meniscus repair with insertion guide. - 1

Terms and Conditions: (Regarding Product and Services)

1. All implants should be US/Indian FDA approved
2. Complete instrument set should be provided at the time of surgery
3. Complete Range of implant sizes should be provided at the time of surgery
4. Cordless battery-operated, cannulated hand drill should be provided at the time of surgery wherever required.
5. Complete ACL, PCL set with guide, beath pins, and all required instruments to be provided at the time of surgery.
6. Quotations to be submitted in the prescribed format only. Any change in the number or name of the item will be rejected. Quotations in any other format will be rejected.
7. Documents to be submitted
 - a. US FDA certificate
 - b. Indian FDA Certificate.
 - c. CDSCO License / State Licensing Authority
 - d. Drug license
 - e. Authorized Dealership/ Vendor ship certificate from the original manufacture
 - f. C.E. certificate.

Terms & conditions (General)

- a) Right to accept or reject Quotation are reserved by this office.
- b) Quotation received after last date and Conditional Quotations will not be accepted.
- c) Dealers should have mentioned Drug Licence no. and Authorisation Certificate.
- d) **Mention your GST number and rates Inclusive of GST for Pune.**
- e) Strength of Surgical / Implant items, MRP Cost & Mfg. Company, Packing must be mentioned.
- f) The material will be accepted only if they are borne to this office. The material will be accepted only if they are found according to our Specification.
- g) **Quote the rates as per Package (with their Sr. No.) asked in Quotation otherwise**

- your Quotation will not be considered.**
- h) The sales tax registration number and shop act licence number is to be quoted in Quotation otherwise your Quotation will not be considered.
 - i) Please mention our Quotation's subject, letter ref. no. & due date on envelope addressing to Dean , Sassoon General Hospital.
 - j) **The above materials rate including GST is valid till next Six months from the date of approval.**
 - k) The quantity is subject to change as per the prevailing circumstances.



Dr. Eknath Pawar

DEAN

SASSOON GENERAL HOSPITAL, PUNE